	Area 13 socket for wood	Area 13 socket for glass	Shelf support for glass shelf
	•		
Dimensions	ø 13	ø 13 00 00	ø 80 1 300
	5-25	6722	
Characteristics	Permits the rotation of individual merchandise supports in steps of 90°.  Observe the assembly and operating	Permits the rotation of individual merchandise supports in steps of 90°.  Observe the assembly and operating	For glass shelf of max. Ø 350 mm. Freely positionable due to 360° rotation.  Is inserted in Area 13 sockets or in the
	instruction	instruction	merchandising rod when using Area 20 sockets.  Glass shelves are bonded to the shelf supports.  Max. weight load = 7 kg  Drawing no. 976-312 Glass shelf 8 mm
Order number	chrome 963-344.01 silk	silk	silk
	963-344.30		


**vísplay** | Manual 01.13



<b>Shelf support</b> for wooden shelf	Sign holder socket	Sign holder socket	Sign holder
For wooden shelf of max. Ø 350 mm. Freely positionable due to 360° rotation. Is inserted in Area 13 sockets or in the merchandising rod when using Area 20 sockets.  Max. weight load = 7 kg	With 90° rotation. Is screwed to hanging rail or front arm Ø 25 mm.	With 90° rotation. Is screwed to flat surfaces.	For vertical presentation. With 90° rotation.
silk	chrome	chrome	chrome         100 mm DIN A 5       ③ 308-694.01         300 mm DIN A 5       ④ 308-730.01         500 mm DIN A 5       ④ 308-731.01         100 mm DIN A 4       ④ 308-732.01         500 mm DIN A 4       ④ 308-733.01         500 mm DIN A 5       ④ 308-733.01         100 mm DIN A 5       ④ 308-694.66         300 mm DIN A 5       ④ 308-730.66         500 mm DIN A 5       ④ 308-731.66         100 mm DIN A 4       ④ 308-732.66         500 mm DIN A 4       ④ 308-732.66         500 mm DIN A 4       ④ 308-733.66

**122 vísplay** | Manual 01.13

Area 13



**vísplay** | Manual 01.13