









	Frame 890 mm	Frame 1240 mm	Corner frame																																																						
Dimensions																																																									
																																																									
Characteristics	<p>Max. weight load = 50 kg</p> <ul style="list-style-type: none"> 📄 Drawing no. 249-637 Back panel 790 x 1225 mm 📄 Drawing no. 249-620 Back panel 790 x 1425 mm ⚠️ Observe the assembly and operating instruction 	<p>Max. weight load = 70 kg</p> <ul style="list-style-type: none"> 📄 Drawing no. 249-641 Back panel 1140 x 1225 mm 📄 Drawing no. 249-643 Back panel 1140 x 1425 mm ⚠️ Observe the assembly and operating instruction 	<p>Max. weight load = 35 kg</p> <ul style="list-style-type: none"> 📄 Drawing no. 249-635 Back panel 500 x 1225 mm 📄 Drawing no. 249-628 Back panel 500 x 1425 mm ⚠️ Observe the assembly and operating instruction 																																																						
Order number	<table border="1"> <tr><td>bright silver duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-759.12</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-757.12</td></tr> <tr><td>black steel duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-759.26</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-757.26</td></tr> </table>	bright silver duro			1400 mm	○	313-759.12	1600 mm	○	313-757.12	black steel duro			1400 mm	○	313-759.26	1600 mm	○	313-757.26	<table border="1"> <tr><td>bright silver duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-761.12</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-755.12</td></tr> <tr><td>black steel duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-761.26</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-755.26</td></tr> </table>	bright silver duro			1400 mm	○	313-761.12	1600 mm	○	313-755.12	black steel duro			1400 mm	○	313-761.26	1600 mm	○	313-755.26	<table border="1"> <tr><td>bright silver duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-765.12</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-763.12</td></tr> <tr><td>black steel duro</td><td></td><td></td></tr> <tr><td>1400 mm</td><td>○</td><td>313-765.26</td></tr> <tr><td>1600 mm</td><td>○</td><td>313-763.26</td></tr> </table>	bright silver duro			1400 mm	○	313-765.12	1600 mm	○	313-763.12	black steel duro			1400 mm	○	313-765.26	1600 mm	○	313-763.26
bright silver duro																																																									
1400 mm	○	313-759.12																																																							
1600 mm	○	313-757.12																																																							
black steel duro																																																									
1400 mm	○	313-759.26																																																							
1600 mm	○	313-757.26																																																							
bright silver duro																																																									
1400 mm	○	313-761.12																																																							
1600 mm	○	313-755.12																																																							
black steel duro																																																									
1400 mm	○	313-761.26																																																							
1600 mm	○	313-755.26																																																							
bright silver duro																																																									
1400 mm	○	313-765.12																																																							
1600 mm	○	313-763.12																																																							
black steel duro																																																									
1400 mm	○	313-765.26																																																							
1600 mm	○	313-763.26																																																							



Fixing set for wooden panel	Frame, vertically-adjustable 900 mm	Frame, vertically-adjustable 1250 mm	Shelf ladder 470 x 1600 mm
<p>Insert back panel into the frame.</p>	<p>Max. weight load = 50 kg</p> <p>ⓘ Observe the assembly and operating instruction</p>	<p>Max. weight load = 70 kg</p> <p>ⓘ Observe the assembly and operating instruction</p>	<p>Max. weight load = 40 kg</p> <p>ⓘ Observe the assembly and operating instruction</p>
<p>zinc coated</p> <p>○ 066-956.21</p> <p>Set of 3 set screws und 3 cylindrical pins.</p>	<p>black steel duro / chrome</p> <p>○ 313-746.77</p> <p>black steel duro / silk</p> <p>○ 313-746.78</p> <p>bright silver duro / chrome</p> <p>○ 313-746.81</p> <p>bright silver duro / silk</p> <p>○ 313-746.82</p>	<p>black steel duro / chrome</p> <p>○ 313-745.77</p> <p>black steel duro / silk</p> <p>○ 313-745.78</p> <p>bright silver duro / chrome</p> <p>○ 313-745.81</p> <p>bright silver duro / silk</p> <p>○ 313-745.82</p>	<p>bright silver duro</p> <p>○ 313-768.12</p> <p>black steel duro</p> <p>○ 313-768.26</p>

Shelf ladder
1240 x 1200 mm




Max. weight load = 40 kg

🔧 Observe the assembly and operating instruction

- bright silver duro **313-772.12**
- black steel duro **313-772.26**

Connector bar




🔧 Observe the assembly and operating instruction

- bright silver duro **313-770.12**
- black steel duro **313-770.26**

Incl. 2 connectors.

Connector bar




🔧 Observe the assembly and operating instruction

- bright silver duro **385-375.12**
- black steel duro **385-375.26**

Incl. fixing set.


Foot set











🔧 Observe the assembly and operating instruction


- bright silver duro **323-198.12**
- black steel duro **323-198.26**

Set of 4 pcs.
Incl. fixing set.




Shelf, one-sided 398 x 350 mm, for shelf ladder	Shelf, central 398 x 350 mm, for shelf ladder	Shelf, central 1165 x 400 mm, for shelf ladder	Connector
<p>⚠ Must not be fitted on the top rung! Shelves may only be installed in groups and not alone!</p>	<p>⚠ Must not be fitted on the top rung! Shelves may only be installed in groups and not alone!</p>	<p>⚠ Must not be fitted on the top rung! Shelves may only be installed in groups and not alone!</p>	<p>📌 Observe the assembly and operating instruction</p>
<p>Max. weight load = 10 kg</p>	<p>Max. weight load = 10 kg</p>	<p>Max. weight load = 20 kg</p>	
<p>📌 Observe the assembly and operating instruction</p>	<p>📌 Observe the assembly and operating instruction</p>	<p>📌 Observe the assembly and operating instruction</p>	
<p>bright silver duro ○ 247-037.12 black steel duro ● 247-037.26</p>	<p>bright silver duro ○ 247-046.12 black steel duro ○ 247-046.26</p>	<p>bright silver duro ○ 247-087.12 black steel duro ○ 247-087.26</p>	<p>polished ● 130-507.10</p>
			<p>Incl. fixing set.</p>

Connector with hinge	Front arm, straight 30 x 15 mm	Sliss	Sign holder socket
			
		<p>100 x</p> 	
<p>Adjustment range of angle 90°.</p> <p>⚠ Observe the assembly and operating instruction</p>	<p>Max. weight load = 20 kg</p>	<p>Prevents scratches on hanging rails and front arms in silk or stainless steel.</p> <p>To clip into coat hanger hook (Ø 3.4–3.8 mm).</p>	<p>With 90° rotation.</p> <p>Is screwed to flat surfaces.</p>
<p>polished ○ 130-532.10</p> <p>Incl. fixing set.</p>	<p>bright silver duro</p> <p>100 mm ○ 371-692.12</p> <p>200 mm ○ 371-693.12</p> <p>300 mm ○ 371-664.12</p> <p>black steel duro</p> <p>100 mm ○ 371-692.26</p> <p>200 mm ○ 371-693.26</p> <p>300 mm ○ 371-664.26</p>	<p>transparent ● 929-449.02</p> <p>Set of 100 pcs.</p>	<p>black steel duro ● 322-632.26</p> <p>bright silver mistral ○ 322-632.66</p>




Sign holder for Area 13



For vertical presentation. With 90° rotation.

black steel duro	
100 mm DIN A 5	⊙ 308-694.26
300 mm DIN A 5	⊙ 308-730.26
500 mm DIN A 5	⊙ 308-731.26
100 mm DIN A 4	⊙ 308-703.26
300 mm DIN A 4	⊙ 308-732.26
500 mm DIN A 4	⊙ 308-733.26
bright silver mistral	
100 mm DIN A 5	⊙ 308-694.66
300 mm DIN A 5	⊙ 308-730.66
500 mm DIN A 5	⊙ 308-731.66
100 mm DIN A 4	⊙ 308-703.66
300 mm DIN A 4	⊙ 308-732.66
500 mm DIN A 4	⊙ 308-733.66


Sign holder for Area 13



For horizontal presentation. With 90° rotation.

black steel duro	
100 mm DIN A 5	⊙ 308-698.26
300 mm DIN A 5	⊙ 308-734.26
500 mm DIN A 5	⊙ 308-735.26
100 mm DIN A 4	⊙ 308-708.26
300 mm DIN A 4	⊙ 308-736.26
500 mm DIN A 4	⊙ 308-737.26
bright silver mistral	
100 mm DIN A 5	⊙ 308-698.66
300 mm DIN A 5	⊙ 308-734.66
500 mm DIN A 5	⊙ 308-735.66
100 mm DIN A 4	⊙ 308-708.66
300 mm DIN A 4	⊙ 308-736.66
500 mm DIN A 4	⊙ 308-737.66

Universal magnetic holder



For positioning and securing the sign.

silver	
⊙	981-939.05